

Scott M. Matheson
Governor



James O. Mason, M.D., Dr.P.H.
Executive Director
801-533-6111

DIVISIONS

Community Health Services
Environmental Health
Family Health Services
Health Care Financing
and Standards

OFFICES

Administrative Services
Health Planning and
Policy Development
Medical Examiner
State Health Laboratory

STATE OF UTAH
DEPARTMENT OF HEALTH
DIVISION OF ENVIRONMENTAL HEALTH

150 West North Temple, P.O. Box 2500, Salt Lake City, Utah 84110

Alvin E. Rickers, Acting Director
Room 426 801-533-6121

(801) 533-6146
March 4, 1980

File
ACT/037/036

Robert G. Young
612 Rico Way
Grand Junction, CO 81501

RE: Wastewater pond

Dear Mr. Young:

I have reviewed the information which you submitted January 19, 1980, for an additional pond to contain the Vanadium Queen mine discharge. The following additional information should be submitted in order to complete our review:

1. Existing soil conditions and water table.
2. Design seepage rate of the pond after construction.
3. Method of embankment construction and compaction.
4. A topography map showing the area within 100 feet of pond.
5. Location of wells and other water sources between the pond and LaSal Creek.

This information must be submitted for our review and approval prior to construction.

Sincerely,

Steven R. McNeal
Public Health Engineer
Bureau of Water Pollution Control

SRM:een

cc: Oil, Gas & Mining
Southeast 208